













VÝZTUŽ ŘEZU 1-1 - 1,9 M'



VÝZTUŽ ŘEZU 2-2 - 1,9 M'



VÝZTUŽ ŘEZU 3-3 – 2,2 M'



VÝPIS VÝZTUŽE						
OCEĽ BST500						
POL	PROFIL	DL.	KS	10	12	
1	12	2,30	20		46,00	
2	12	2,75	20		55,00	
3	12	1,90	20		38,00	
4	10	1,05	32	33,60		
5	10	1,85	50	92,50		
6	12	2,20	20		44,00	
7	12	3,55	12		42,60	
8	12	2,60	12		31,20	
9	10	2,15	38	81,70		
10	12	3,40	24		81,60	
CELKOVÁ DĚLKA (M)				207,80	338,40	
HMOTNOST 1m ³ (KG)				0,616	0,887	
CELKOVÁ HMOTNOST (KG)				128,1	300,3	
SPOTŘEBA CELKEM (KG)					429 KG	

BETON C30/37 XC4, XF1
OCEL BST500
KRYTÍ 40 MM

VÝZTUŽ OPĚRNÉ STĚNY OZ 02
ŘEZ 1-1, ŘEZ 2-2, ŘEZ 3-3

M 1:50 Č.v. D1.2.3/10
DOSTAVBA MŠ ZA FONTÁNOU V PŘELOUČI